

NADIS Animal Health Skills

LAMBING HEALTH RESOURCE

NADIS CPD IS ACCREDITED BY



AND QUALIFIES FOR CPD



SETTING VETERINARY STANDARDS



LAMBING HEALTH RESOURCE

Save this resource on your desktop for future reference and share with interested colleagues and farmers. Click here to view the full A-Z list of resources.



Pre-lambing: Ewe Nutrition and Metabolic Diseases

Adequate ewe nutrition during the last six weeks of pregnancy, when 75 per cent of foetal growth occurs, is essential to ensure appropriate lamb birthweight.



Part 1 The Basics

Ewe deaths around lambing time in lowground flocks in the UK are quoted as 5 to 7 per cent with an estimated 70 per cent caused by dystocia (lambing difficulties).



Part 2 Lambing Problems

This bulletin highlights the various different lambing problems faced at lambing.



Part 3 Vaginal and Uterine Prolapse

Vaginal prolapse affects approximately 1% of ewes in the last month of pregnancy. It is most common in over-conditioned ewes carrying multiple lambs.



Part 4 Ensuring Survival of Newborn Lambs

Neonatal lamb deaths average 10-25% in the UK, but 5% is achievable. Good flock records will help you plan in the future.



Part 5 Diseases of Newborn Lambs

This bulletin highlights the various different diseases of newborn lambs.



Part 6 Fostering, Docking and Castration

The perinatal lamb mortality rate is unacceptably high in many sheep flocks; as a consequence of such deaths triplet lambs are fostered on to those ewes which have lost a lamb.



IMPROVING SHEEP HEALTH



'PREVENTION IS BETTER THAN CURE'

Plan for health with your vet – get a veterinary health plan

NADIS

Animal Health Skills